

 **NLC**
NUTRICIA LEARNING CENTER

Thank you for joining!
We'll begin shortly

What's New With the DRIs for Energy for Infants and Children?

Jessica M Lowe, DCN, MPH, RDN
Medical Science Liaison
September 20, 2023



1



What's new with the DRIs for energy for infants and children?


Jessica M Lowe, DCN, MPH, RDN | Medical Science Liaison



2

Disclosures


Jessica Lowe, DCN, MPH, RDN is employed by Nutricia North America as a medical science liaison.



3

Objectives

- 1 Review the recently released energy guidelines for infants and children
- 2 Differentiate between the differences in methodologies used to develop previous and current DRIs for energy




4

Dietary Reference Intakes (DRIs)

Definition	Reference values to guide the planning and assessing of nutrient intakes in the United States and Canada
Inclusion	One or more DRI values are available for 51 nutrients including vitamins, minerals, macronutrients and energy
Intention	Reduce the risk of both nutrient inadequacy and excessive nutrient intake
Utilization	Provide the scientific basis for nutrient professionals, governments, and non-governmental organizations to carry out activities


(1) Dietary Reference Intakes. Health.gov. Updated January 18, 2023. Retrieved August 16, 2023 from <https://health.gov/our-work/nutrition-physical-activity/dietary-guidelines/dietary-reference-intakes> (2) Murphy SP, et al. History of nutrition: the long road leading to the Dietary Reference Intakes for the United States and Canada. *Adv Nutr*. 2015;7(1):157-168.



5


History of DRIs

1941



The first RDAs for protein, energy and 8 vitamins and minerals were established by the US National Research Council (at the request of the National Defense Advisory Commission).


1989



The Food and Nutrition Board (FNB) released a Diet and Health Report which revised the role of specific nutrients and food components in the risk of noncommunicable diseases.

(Number of nutrients in the DRIs increased from 8 to 25)

RDAs: Recommended daily allowance; FNB: Food and Nutrition Board; Murphy SP, et al. History of nutrition: the long road leading to the Dietary Reference Intakes for the United States and Canada. *Adv Nutr*. 2015;7(1):157-168.



6

History of DRIs

1991
 United Kingdom report was the first to use 3 dietary reference values

1994
 FNB initiated an exploration of multilitered nutrient recommendations, which resulted in a white paper

1997-2004
 Reference intake reports were developed by expert panels and subcommittees under the guidance of the FNB to ensure a coordinated approach as new nutrients were reviewed and issued.

FNB: Food and Nutrition Board
 Murphy SP, et al. History of nutrition: the long road leading to the Dietary Reference Intakes for the United States and Canada. Adv Nutr. 2015;7(1):157-168.

7

What Impacts Total Energy Expenditure?

Total Energy Expenditure =

- Basal Energy Expenditure** +
- Thermic Effect of Food** +
- Physical Activity** +
- Thermoregulation** +
- Growth**

Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academics Press, 2002.

8

What Impacts Total Energy Expenditure?

Total Energy Expenditure =

- Basal Energy Expenditure** + The energy needed to carry out fundamental metabolic functions such as breathing, ion transport, normal turnover of enzymes and other body components, etc.
- Thermic Effect of Food** +
- Physical Activity** +
- Thermoregulation** +
- Growth**

Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academics Press, 2002.

9

What Impacts Total Energy Expenditure?

Total Energy Expenditure	=	
Basal Energy Expenditure	+	The energy needed to carry out fundamental metabolic functions such as breathing, ion transport, normal turnover of enzymes and other body components, etc.
Thermic Effect of Food	+	The amount of energy it takes for your body to digest, absorb, and metabolize food.
Physical Activity	+	
Thermoregulation	+	
Growth		

Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002.

10

What Impacts Total Energy Expenditure?

Total Energy Expenditure	=	
Basal Energy Expenditure	+	The energy needed to carry out fundamental metabolic functions such as breathing, ion transport, normal turnover of enzymes and other body components, etc.
Thermic Effect of Food	+	The amount of energy it takes for your body to digest, absorb, and metabolize food.
Physical Activity	+	The amount of energy expended during voluntary bodily movements including activities of daily living and exercise.
Thermoregulation	+	
Growth		

Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002.

11

What Impacts Total Energy Expenditure?

Total Energy Expenditure	=	
Basal Energy Expenditure	+	The energy needed to carry out fundamental metabolic functions such as breathing, ion transport, normal turnover of enzymes and other body components, etc.
Thermic Effect of Food	+	The amount of energy it takes for your body to digest, absorb, and metabolize food.
Physical Activity	+	The amount of energy expended during voluntary bodily movements including activities of daily living and exercise.
Thermoregulation	+	The amount of energy needed to maintain a steady internal body temperature despite changes in external conditions.
Growth		

Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002.

12

What Impacts Total Energy Expenditure?




Total Energy Expenditure	=	
Basal Energy Expenditure	+	The energy needed to carry out fundamental metabolic functions such as breathing, ion transport, normal turnover of enzymes and other body components, etc.
Thermic Effect of Food	+	The amount of energy it takes for your body to digest, absorb, and metabolize food.
Physical Activity	+	The amount of energy expended during voluntary bodily movements including activities of daily living and exercise.
Thermoregulation	+	The amount of energy needed to maintain a steady internal body temperature despite changes in external conditions.
Growth		The amount of energy required for tissues deposition in children and pregnant women.

Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (Macronutrients). National Academies Press, 2002. NLC

13

DRI for Energy: 2002-2005

Indicators for Estimating the Requirement for Energy

 <p>Reported Energy Intake</p> <ul style="list-style-type: none"> In principle could be used for weight maintenance Literature documents underreporting food intake 	 <p>Factorial Approach</p> <p>$EER = BMR \times AF$</p> <ul style="list-style-type: none"> Limitation: only takes into account certain activities May underreport energy requirements 	 <p>Doubly Labeled Water</p> <p>$^2H_2^{18}O$</p> <ul style="list-style-type: none"> Considered the most reliable measurement of energy expenditure
--	---	--


EER = estimated energy requirements; BMR = basal metabolic rate; AF = activity factor. Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (Macronutrients). National Academies Press, 2002. NLC

14

Doubly Labeled Water

Input

- Oral $^2H_2^{18}O$
- Food & Water
- Atmospheric Water




Output

- Renal: H_2O
- Pulmonary: $H_2O + CO_2$

$^2H_2^{18}O$ = doubly labeled water; H_2O = water; CO_2 = carbon dioxide. Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (Macronutrients). National Academies Press, 2002. Di. DeLany, P. Chapter 12. Doubly Labeled Water for Energy Expenditure. Emerging techniques for nutrition research: Potential for increasing military performance capability. Washington DC:1997. NLC

15



16

Number of Infants & Children Represented in DLW Studies

2002/2005 (n=487)	Life Stage
116	0-6 months
72	7-11 months
132	1-2 years
129	3-8 years
28	9-13 years
10	14-18 years

Interpolation with studies that reported food intake and used a factorial approach

[1] Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002. [2] National Academies of Sciences, Engineering, and Medicine. Dietary Reference Intakes for Energy, 2013.

17

Number of Infants & Children Represented in DLW Studies

2002/2005 (n=487)	Life Stage	2023 (n=2433)
116	0-6 months	469
72	7-11 months	114
132	1-2 years	250
129	3-8 years	879
28	9-13 years	304
10	14-18 years	417

[1] Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002. [2] National Academies of Sciences, Engineering, and Medicine. Dietary Reference Intakes for Energy, 2013.

18

Estimating Energy Requirements in Infants (0-36 months)

Estimated Energy Requirements = **Total Energy Expenditure** + **Energy Cost of Growth**

Total Energy Expenditure + The energy expended throughout a 24-hour period: basal metabolic rate, thermic effect of food, and energy expended as a result of physical activity.

Energy Cost of Growth The energy contained in tissue deposited during growth phases, based on the proportion of protein and fat being deposited in the new tissue.

(1) Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002. (2) National Academies of Sciences, Engineering, and Medicine. Dietary Reference Intakes for Energy, 2002.

19

2002-2005 DRI for Energy: 0-36 months

Estimated Energy Requirements = **Total Energy Expenditure** + **Energy Cost of Growth**

Age Group	Equation	Energy Cost of Growth
0-3 months	$(89 \times \text{weight [kg]} - 100)$	+ 175 kcal
4-6 months	$(89 \times \text{weight [kg]} - 100)$	+ 56 kcal
7-12 months	$(89 \times \text{weight [kg]} - 100)$	+ 22 kcal
13-36 months	$(89 \times \text{weight [kg]} - 100)$	+ 20 kcal

kg = kilograms; kcal = kilocalories
 Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002.

20

2002-2005 DRI for Energy: 0-36 months

Age: 1 month
 Weight: 4.4kg (0.12)
 Length: 55cm (0.14)
 WU/L: -0.38

Estimated Energy Requirements = **Total Energy Expenditure** + **Energy Cost of Growth**

0-3 months	$(89 \times \text{weight [kg]} - 100)$	+ 175 kcal
------------	--	------------

kg = kilograms; cm = centimeters; g = weight; L = length; kg = kilograms
 Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002.

21

2002-2005 DRI for Energy: 0-36 months

Age: 1 month
 Weight: 4.4kg (-0.12)
 Length: 55cm (0.14)
 Wt/Lt: 0.38

Estimated Energy Requirements = Total Energy Expenditure + Energy Cost of Growth

0-3 months = (89 x weight [kg] - 100) + 175 kcal

466.6 kcal = (89 x 4.4 - 100) + 175
 [106 kcal/kg] = [291.6] + 175

kg = kilograms; cm = centimeters; wt = weight; lt = length; kcal = kilocalories
 Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (Institute of Medicine, National Academies Press, 2002)

22

2023 DRI for Energy: 0-36 months

Estimated Energy Requirements = Total Energy Expenditure + Energy Cost of Growth

Male

0-2.99 months	=	$-716.45 - (1.00 \times \text{age}^a) + (17.82 \times \text{lt}^b) + (15.06 \times \text{wt}^c)$	+	200
3-5.99 months	=	$-716.45 - (1.00 \times \text{age}^a) + (17.82 \times \text{lt}^b) + (15.06 \times \text{wt}^c)$	+	50
6 months-2.99 years	=	$-716.45 - (1.00 \times \text{age}^a) + (17.82 \times \text{lt}^b) + (15.06 \times \text{wt}^c)$	+	20

lt = length; wt = weight; a = age in years; b = length in centimeters [cm]; c = weight in kilograms [kg]
 National Academies of Sciences, Engineering, and Medicine. Dietary Reference Intakes for Energy. 2023.

23

2023 DRI for Energy: 0-36 months

Estimated Energy Requirements = Total Energy Expenditure + Energy Cost of Growth

Male					Female				
0-2.99 months	=	$-716.45 - (1.00 \times \text{age}^a) + (17.82 \times \text{lt}^b) + (15.06 \times \text{wt}^c)$	+	200	0-2.99 months	=	$-69.15 + (80.0 \times \text{age}^a) + (2.65 \times \text{lt}^b) + (15.06 \times \text{wt}^c)$	+	180
3-5.99 months	=	$-716.45 - (1.00 \times \text{age}^a) + (17.82 \times \text{lt}^b) + (15.06 \times \text{wt}^c)$	+	50	3-5.99 months	=	$-69.15 + (80.0 \times \text{age}^a) + (2.65 \times \text{lt}^b) + (15.06 \times \text{wt}^c)$	+	60
6 months-2.99 years	=	$-716.45 - (1.00 \times \text{age}^a) + (17.82 \times \text{lt}^b) + (15.06 \times \text{wt}^c)$	+	20	6 months-2.99 years	=	$-69.15 + (80.0 \times \text{age}^a) + (2.65 \times \text{lt}^b) + (15.06 \times \text{wt}^c)$	+	20 ^d

lt = length; wt = weight; a = age in years; b = length in centimeters [cm]; c = weight in kilograms [kg]; d = 6-11.99 months energy cost is 20kcal/d, 12-35.99 months energy cost is 15kcal/d
 National Academies of Sciences, Engineering, and Medicine. Dietary Reference Intakes for Energy. 2023.

24

2023 DRI for Energy: 0-36 months

Age: 1 month
 Weight: 4.4kg (-0.12)
 Length: 55cm (0.14)
 Wt/Lt: -0.38

Estimated Energy Requirements = Total Energy Expenditure + Energy Cost of Growth

0-3 months = $-716.45 - (1.00 \times \text{age}^3) + (17.82 \times \text{lt}^2) + (15.06 \times \text{wt}^2)$ + 200 kcal

kg = kilograms; cm = centimeters; lt = length; wt = weight; kcal = kilocalories a = age in years; b = lt in cm; c = wt in kg
 National Academies of Sciences, Engineering, and Medicine. Dietary Reference Intakes for Energy, 2023.

25

2023 DRI for Energy: 0-36 months

Age: 1 month
 Weight: 4.4kg (-0.12)
 Length: 55cm (0.14)
 Wt/Lt: -0.38

Estimated Energy Requirements = Total Energy Expenditure + Energy Cost of Growth

0-3 months = $-716.45 - (1.00 \times \text{age}^3) + (17.82 \times \text{lt}^2) + (15.06 \times \text{wt}^2)$ + 200 kcal

529.8 kcals [120 kcals/kg] = $-716.45 - (1.00 \times 0.08) + (17.82 \times 55) + (15.06 \times 4.4)$ + 200

kg = kilograms; cm = centimeters; lt = length; wt = weight; kcal = kilocalories a = age in years; b = lt in cm; c = wt in kg
 National Academies of Sciences, Engineering, and Medicine. Dietary Reference Intakes for Energy, 2023.

26

Estimating Energy Requirements in Children (3-18 years)

Estimated Energy Requirements =

Total Energy Expenditure + The energy expended throughout a 24-hour period: basal metabolic rate, thermic effect of food, and energy expended as a result of physical activity.

Energy Cost of Growth + The energy contained in tissue deposited during growth phases, based on the proportion of protein and fat being deposited in the new tissue.

Physical Activity Level An index of physical activity, which is defined as the ratio of TEE:BEE, reflects differences in lifestyle, geographic habitat, and socioeconomics.

[1] Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fibre, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002. [2] National Academies of Sciences, Engineering, and Medicine. Dietary Reference Intakes for Energy, 2023.

27

2002/2005 DRI for Energy: 3-18 years - boys

Estimated Energy Requirements = Total Energy Expenditure (includes PA) + Energy Cost of Growth

3-8 years = $88.5 - (61.9 \times \text{age}^3) + \text{PA} \times (26.7 \times \text{wt}^3 + 903 \times \text{ht}^2)$ + 20 kcal

9-18 years = $88.5 - (61.9 \times \text{age}^3) + \text{PA} \times (26.7 \times \text{wt}^3 + 903 \times \text{ht}^2)$ + 25 kcal

PA Coefficient	
Sedentary	1.00
Low Active	1.13
Active	1.26
Very Active	1.42

PA = Physical Activity; wt = weight; ht = height; kcal = kilocalories; a = age in years; b = wt in kilograms [kg]; c = ht in centimeters [cm]
 Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002.

28

2002/2005 DRI for Energy: 3-18 years - girls

Estimated Energy Requirements = Total Energy Expenditure (includes PA) + Energy Cost of Growth

3-8 years = $135.3 - (30.8 \times \text{age}^3) + \text{PA} \times (10 \times \text{wt}^3 + 934 \times \text{ht}^2)$ + 20 kcal

9-18 years = $135.3 - (30.8 \times \text{age}^3) + \text{PA} \times (10 \times \text{wt}^3 + 934 \times \text{ht}^2)$ + 25 kcal

PA Coefficient	
Sedentary	1.00
Low Active	1.16
Active	1.31
Very Active	1.56

PA = Physical Activity; wt = weight; ht = height; kcal = kilocalories; a = age in years; b = wt in kilograms [kg]; c = ht in centimeters [cm]
 Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002.

29

2002/2005 DRI for Energy: reference weights (0-2 years)

Age (months)	Boys			Girls		
	Reference Wt (kg)	EER (kcal/d)	EER (kcal/kg/d)	Reference Wt (kg)	EER (kcal/d)	EER (kcal/kg/d)
1	4.4	472	107.2	4.2	438	104.3
2	5.3	567	107.0	4.9	500	102.0
3	6.0	572	95.3	5.5	521	94.7
4	6.7	548	81.8	6.1	508	83.3
5	7.3	596	81.6	6.7	553	82.5
6	7.9	645	81.6	7.2	593	82.9
7	8.4	668	79.5	7.7	608	79.0
8	8.9	710	79.8	8.1	643	79.4
9	9.3	746	80.2	8.5	678	79.8
10	9.7	793	81.8	8.9	717	80.6
11	10.0	817	81.7	9.2	742	80.7
12	10.3	844	81.9	9.5	768	80.8
15	11.1	908	81.8	10.3	837	81.3
18	11.7	961	82.1	11.0	899	81.7
21	12.2	1006	82.5	11.6	952	82.1
24	12.7	1050	83.0	12.1	997	82.4

Wt = weight; kg = kilograms; kcal = kilocalories; d = day
 Panel on Micronutrients. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients). National Academies Press, 2002.

30

2023 DRI for Energy: 3-18.99 years - boys

Estimated Energy Requirements	=	Total Energy Expenditure (includes PA)	+	Energy Cost of Growth
Inactive	=	$-447.51 + (3.68 \times \text{age}^3) + (13.01 \times \text{ht}^3) + (13.15 \times \text{wt}^2)$	+	3 years = 30 kcals 4-8 years = 15 kcals 9-13 years = 25 kcals 14-18 years = 20 kcals
Low Active	=	$19.12 + (3.68 \times \text{age}^3) + (8.62 \times \text{ht}^3) + (20.28 \times \text{wt}^2)$	+	3 years = 20 kcals 4-8 years = 15 kcals 9-13 years = 25 kcals 14-18 years = 20 kcals
Active	=	$-388.19 + (3.68 \times \text{age}^3) + (12.66 \times \text{ht}^3) + (20.46 \times \text{wt}^2)$	+	3 years = 20 kcals 4-8 years = 15 kcals 9-13 years = 25 kcals 14-18 years = 20 kcals
Very Active	=	$-671.75 + (3.68 \times \text{age}^3) + (15.38 \times \text{ht}^3) + (23.25 \times \text{wt}^2)$	+	3 years = 20 kcals 4-8 years = 15 kcals 9-13 years = 25 kcals 14-18 years = 20 kcals

PA = Physical Activity; ht = height; wt = weight; kcals = kilocalories; a = age in years; b = height in centimeters [cm]; c = weight in kilograms [kg]
 National Academies of Sciences, Engineering, and Medicine. Dietary Reference Intakes for Energy. 2023.


31

2023 DRI for Energy: 3-18.99 years - girls

Estimated Energy Requirements	=	Total Energy Expenditure (includes PA)	+	Energy Cost of Growth
Inactive	=	$55.59 - (22.25 \times \text{age}^3) + (8.43 \times \text{ht}^3) + (17.07 \times \text{wt}^2)$	+	3-8 years = 15 kcals 9-13 years = 30 kcals 14-18 years = 20 kcals
Low Active	=	$-297.54 - (22.25 \times \text{age}^3) + (12.77 \times \text{ht}^3) + (14.73 \times \text{wt}^2)$	+	3-8 years = 15 kcals 9-13 years = 30 kcals 14-18 years = 20 kcals
Active	=	$-189.55 - (22.25 \times \text{age}^3) + (11.74 \times \text{ht}^3) + (18.34 \times \text{wt}^2)$	+	3-8 years = 15 kcals 9-13 years = 30 kcals 14-18 years = 20 kcals
Very Active	=	$-709.59 - (22.25 \times \text{age}^3) + (18.22 \times \text{ht}^3) + (14.25 \times \text{wt}^2)$	+	3-8 years = 15 kcals 9-13 years = 30 kcals 14-18 years = 20 kcals

PA = Physical Activity; ht = height; wt = weight; kcals = kilocalories; a = age in years; b = height in centimeters [cm]; c = weight in kilograms [kg]
 National Academies of Sciences, Engineering, and Medicine. Dietary Reference Intakes for Energy. 2023.

32




33

Why does this matter?

Sex specific equations | Age specific PA coefficients


Improving energy requirement estimates has the potential to improve our efficacy and patient outcomes.



34

References

- (1) Dietary Reference Intakes. Health.gov. Updated January 18, 2023. Retrieved August 16, 2023 from <https://health.gov/our-work/nutrition-physical-activity/dietary-guidelines/dietary-reference-intakes>.
- (2) Murphy SP, et al. History of nutrition: the long road leading to the Dietary Reference Intakes for the United States and Canada. *Adv Nutr.* 2015;7(1):157-168.
- (3) Nutrient Recommendations and Databases. National Institutes of Health Office of Dietary Supplements. Retrieved August 16, 2023 from <https://ods.od.nih.gov/healthinformatics/nutrient-recommendations.aspx>.
- (4) National Academies of Sciences, Engineering, and Medicine. Health and Medicine Division; Food and Nutrition Board; Committee on the Dietary Reference Intakes for Energy. *Dietary Reference Intakes for Energy*. Washington (DC): National Academies Press (US); 2023.
- (5) National Academies of Sciences, Engineering, and Medicine. Health and Medicine Division; Food and Nutrition Board; Committee on the Dietary Reference Intakes for Sodium and Potassium. Washington (DC): National Academies Press (US); 2019.
- (6) Dietary Reference Intakes: Macronutrients. National Agricultural Library. Retrieved August 16, 2023 from <https://www.nal.usda.gov/foia/foia-usda.gov/files/uploads/macronutrients.pdf>.
- (7) Murphy SP, et al. History of nutrition: the long road leading to the Dietary Reference Intakes for the United States and Canada. *Adv Nutr.* 2015;7(1):157-168.
- (8) Panel on Micronutrients. *Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (macronutrients)*. National Academies Press, 2002.
- (9) Delany JP. Chapter 12: Doubly Labeled Water for Energy Expenditure. Emerging technologies for nutrition research: Potential for assessing military performance capability. Washington (DC): 1997.
- (10) DeLaney JR. Measurement of energy expenditure. *Pediatr Blood Cancer.* 2012;58(1):129-134.
- (11) von Loeffelholz C, et al. Non-exercise activity thermogenesis in human energy homeostasis. *Endotext.* 2002.



35
