

Clinician's Product Selection Guide

TUBE FED PATIENT / ORALLY FED PATIENT

- SOLE SOURCE OF NUTRITION
- IN ADDITION TO REGULAR KETO-FRIENDLY FOOD

FAMILY PREFERS POWDER FOR COMPACT STORAGE AND TRANSPORTATION

FAMILY OR PATIENT PREFERS CONVENIENCE OF READY-TO-FEED FORMULA

3:1 RATIO
1+ years

4:1 RATIO
1+ years

2.5:1 RATIO
8+ years

MODIFIED
ATKINS DIET
(MAD)

KETOCAL 3:1
POWDER



KETOCAL 4:1
POWDER



KETOCAL 4:1
LQ (LIQUID)



KETOCAL 2.5:1 LQ
(LIQUID)
WITH MCT




SAVORY RECIPES
(SOUP, PIZZA, WRAPS)



KETOCAL 3:1
POWDER



SWEET RECIPES
(CAKES, COOKIES,
MUFFINS, SMOOTHIES)



KETOCAL
POWDER OR LIQUID



KetoCal intake to be determined by a medical professional and is dependent on the age, weight, energy needs and medical condition of the individual. See the product description for age indication per product.

DID YOU KNOW?



One clinical study showed that supplementing the MAD with one serving of KetoCal 4:1 LQ per day in the first month increased long-term adherence (>6 months) compared to later supplementation.¹

The study participants were adults and consumed 360 calories from KetoCal 4:1 each day.

One serving of KetoCal per day may help fill in the nutritional gaps known to exist with the ketogenic diet.²

The study participants were children and consumed 400 calories from KetoCal 4:1 each day.

1. McDonald, et al. Seizure. 2018 Aug;60:132-138. 2. Kossoff, et al. J Child Neurol. 2011;26:147-51.

FAMILY AND PATIENTS WHO WANT TO USE
KETOCAL TO MAKE RECIPES

RATIO CAN BE ADAPTED FOR EACH RECIPE

KETOCAL CONNECT HELPS YOUR PATIENTS
TO START AND STAY ON THE DIET



- Tasty ketogenic recipes
- Caregiver support
- Coverage and cost assistance
- Trusted product

Visit MyKetoCal.com/KetoCalConnect

NUTRICIA KetoCal® Family Comparison Chart



Product					
Indication	KetoCal products are indicated for the dietary management of refractory epilepsy and other epilepsy-related conditions where the ketogenic diet is indicated, including: <ul style="list-style-type: none"> • Glucose Transporter Type 1 Deficiency Syndrome (Glut1) • Pyruvate Dehydrogenase Deficiency (PDH) • Dravet Syndrome • Super Refractory Status Epilepticus (SRSE) KetoCal can be used for enteral and oral feedings				Conditions where MCT oil is part of dietary management, such as those managed by the ketogenic diet. Liquigen can be used for enteral and oral feedings.
Main Features	<ul style="list-style-type: none"> • 2.5:1 ratio • Higher in protein compared to 4:1 and 3:1 ketogenic formulas • Convenient ready-to-feed • Vanilla flavor • MCT • DHA • Multi-fiber blend • 8+ years 	<ul style="list-style-type: none"> • 3:1 ratio • Powder • Unflavored • DHA and ARA • 1+ year 	<ul style="list-style-type: none"> • 4:1 ratio • Powder • Vanilla flavor • DHA and ARA • Multi-fiber blend • 1+ year 	<ul style="list-style-type: none"> • 4:1 ratio • Convenient ready-to-feed • Unflavored and Vanilla flavor • DHA and ARA • Multi-fiber blend • 1+ year 	<ul style="list-style-type: none"> • Simplifies addition of MCT oil to the diet • 50/50 blend of MCT oil and water • Unflavored • Emulsified MCT oil stays mixed into formulas, beverages and foods
Product Code	137246	16672	10177	Vanilla: 80180 Unflavored: 80183	71957 (case, 12 x 250 mL) 71957-3 (unit, 4 x 250mL)
NDC Format Code*	49735-017246	49735-0166-72	49735-0166-70	Vanilla: 49735-0187-96 Unflavored: 49735-0130-54	49735-011957 (case) 49735-019573 (unit)
HCPCS Code	B4154				B4155

KetoCal® and Liquigen® are medical foods and are intended for use under medical supervision.

To learn more, please visit myketocal.com or call 1-800-365-7354 (Monday-Friday 8:30 AM-5 PM ET)

* Nutricia North America does not represent these codes to be National Drug Codes (NDCs). NDC format codes are product codes adjusted according to standard industry practice to meet the format requirements of pharmacy and health insurance systems.